Response Under 37 CFR § 1.116 **Expedited Procedure Examining Group 3600** 

## AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims**

(Currently Amended) A battery changing system to change the battery 1. block of an industrial truck, comprising:

a roller conveyor external to the industrial truck, at least a portion of which conveyor can be raised and lowered, and

a drive device for moving the battery block onto the roller conveyor,

wherein the roller conveyor is configured to be placed underneath a battery compartment of an industrial truck that holds a battery block, wherein a floor surface of the battery compartment of the industrial truck is provided with at least one opening to receive at least one roller of the roller conveyor,

wherein the battery block is movable all the way out of the battery compartment in a lateral direction of the truck by means of the roller conveyor,

wherein the roller conveyor includes a first segment and at least one movable second segment,

wherein the first segment comprises a pair of spaced apart first beams, each having a plurality of rollers, wherein the second segment comprises a second beam located between the first beams and having a plurality of rollers, with the second beam being longitudinally extensible extendable and retractable with respect to the first beams,

wherein a stop is located on the first segment to limit movement of a battery block, and

Application No. 10/694,630

Response to Office Action dated August 10, 2006

Paper dated January 24, 2007

Attorney Docket No. 5327-031639

Response Under 37 CFR § 1.116 Expedited Procedure Examining Group 3600

wherein a retaining device is located on the second beam and is configured to

engage the truck to prevent relative movement between the roller conveyor and the truck during

movement of the battery block,

wherein the second beam has a width that is substantially equal to the width of the

space between the first beams of the first segment and substantially equal to the width of the first

beams for adequately supporting the battery block upon removal and replacement of the battery

block relative to the battery compartment of the industrial truck, and

wherein the drive device for moving the battery block includes a drive for one or

more rollers of the roller conveyor.

2. (Canceled)

3. (Original) The battery changing system as claimed in claim 1, wherein the

floor of the battery compartment of the industrial truck is provided with a plurality of openings,

with each opening configured to receive a roller of the roller conveyor.

4. (Original) The battery changing system as claimed in claim 1, wherein the

floor of the battery compartment of the industrial truck is provided with one opening for

receiving a plurality of rollers of the roller conveyor.

5-8. (Canceled)

{W0331501.1}

3

Application No. 10/694,630 Response to Office Action dated August 10, 2006 Paper dated January 24, 2007 Attorney Docket No. 5327-031639 Response Under 37 CFR § 1.116 Expedited Procedure Examining Group 3600

9. (Previously Presented) The battery changing system as claimed in claim 1, wherein the second segment is mounted by means of a guide device on the first segment so that it can move longitudinally.

10-15. (Canceled)